

Page **1** of **10** 

### **Diesel Force Diesel EGR & Induction System Cleaner**

SDS Number: DF620 DF630

1	PRODUCT AND COMPANY INFORMATION

Product Name:	Diesel Force Diesel EGR & Induction System Cleaner
Revision Date:	09/26/2016
<u>SDS Number:</u>	DF620
	DF630
Common Name:	Diesel EGR and Induction System Cleaner
<u>CAS Number:</u>	Blend
Product Code:	DF620
	DF630
Synonyms:	Water Based System Cleaner

#### **Company Identification:**

Supplier: LYDEN OIL COMPANY 30682 Tracy Road Walbridge, OH 43465 www.lydenoil.com

For Product Information:	1-800-245-9336
For Emergencies:	1-800-424-9300 (CHEMTREC)

**HAZARDS IDENTIFICATION** 



Signal Word:

Danger



**Diesel Force Diesel EGR & Induction System Cleaner** 

SDS Number: DF620 DF630

Page **2** of **10** 

DF630	
Hazard Classes/Categories:	
	Skin corrosive, Category 1B.
	Serious eye damage, Category 1.
	Corrosive to metals, Category 1.
	Carcinogen, Category 2.
lazard Statement(s):	
	H314: Causes severe skin burns and eye damage.
	H318: Causes serious eye damage.
	H290: May be corrosive to metals.
	H351: Suspected of causing cancer.
Precaution Statement(s):	
<u>·</u>	P101: If medical advice is needed, have product container or label at
	hand.
	P102: Keep out of reach of children.
	P103: Read label before use.
	P201: Obtain special instructions before use.
	P264: Wash thoroughly after handling.
	P261: Avoid breathing dust/fumes/gas/mist/vapors/spray.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	, P305+351+338: IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses if present and easy to do – continue
	rinsing.
	P337+313: If eye irritation persists get medical advice/attention.
	P303+361+353: IF ON SKIN (or hair): Take off immediately all
	contaminated clothing. Rinse skin with water/ shower.
	P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P304+340: IF INHALED: Remove person to fresh air and keep
	comfortable for breathing.
	P308+311: IF exposed or concerned: Call a POISON CENTER/ doctor.
	P405: Store locked up.
	P501: Dispose of contents/container in accordance with
	local/regional/national/international regulation.



Page **3** of **10** 

### **Diesel Force Diesel EGR & Induction System Cleaner**

SDS Number: DF620 DF630

Other Hazard Statement(s):

-NFPA Ratings: Health = 3 Fire = 0 Reactivity = 0

Caution: CAUSTIC SOLUTION, Avoid contact with eyes/skin.

3 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Mixture of the substances listed below with nonhazardous additions.

Chemical Name	CAS Number	Percentage
Sodium Hydroxide	1310-73-2	1-2
Nitrilotriacetic acid trisodium salt monohydrate	18662-53-8	0.1-1

\*Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4	FIRST AID MEASURES
4	FIRST AID MEASURES

#### **Description of First Aid Measures:**

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If the victim has difficulty breathing or is unresponsive, give oxygen with rescue breathing or CPR as required and transport to the nearest medical facility.
Skin Contact:	Flush skin with water, wash with soap and water. Remove contaminated clothing. Do not reuse clothing until cleaned. Get medical attention if skin irritation occurs or if otherwise needed.
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.



Page **4** of **10** 

### **Diesel Force Diesel EGR & Induction System Cleaner**

SDS Number: DF620 DF630

Ingestion:

Rinse mouth with water. Drink copious amounts of water and DO NOT induce vomiting. Obtain medical attention.

Symptoms and Effects, both acute and delayed:

-Most important symptoms and effects, both acute and delayed: Corrosive to skin and eyes. Will cause nausea and vomiting. Irritating to mouth, throat and stomach. -Indication of any immediate medical attention and special treatment needed: No further relevant information available.

**Recommended Actions:** 

Treat symptomatically. Call a doctor or poison control center for guidance.

5	FIRE FIGHTING MEASURES	
Recommended I	Fire-Extinguishing Equipment:	Use dry powder, foam, or carbon dioxide fire extinguishers. Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.
Possible Hazards	s During a Fire:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds.
<u>Recommendatic</u>	ons to Firefighters:	Proper protective equipment including breathing apparatus.



Page **5** of **10** 

## **Diesel Force Diesel EGR & Induction System Cleaner**

**Safety Data Sheet** 

SDS Number: DF620 DF630

6 ACCIDENTAL RELEASE MEASU	JRES
Personal Precautions:	Avoid breathing vapors. Personal protective equipment must be worn.
	Avoid contact with skin, eyes or clothing. Remove persons from danger area.
Emergency Procedures:	Contain spilled material, collect in suitable and properly labeled containers.
Environmental Precautions:	
	Do not allow product to reach sewage system or any water course.
	Inform respective authorities in case of seepage into water course or sewage system.
Cleanup Procedures:	Abcorb with liquid binding material (cand
	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
7 HANDLING AND STORAGE	

Handling Precautions:	
	Use good personal hygiene practices
	Avoid contact with the eyes and skin.
	Avoid contact with clothing.
	Use only in well ventilated areas.
	Avoid splashes or spray in enclosed areas.
Storage Requirements:	
	Keep container tightly sealed. Store only in original
	container.
	Keep away from sources of ignition.



Page **6** of **10** 

## **Diesel Force Diesel EGR & Induction System Cleaner**

**Safety Data Sheet** 

SDS Number: DF620 DF630

8	<b>EXPOSURE CONTROLS / PERSONAL</b>	PROTECTION	
Exposure Limits	<u>ts:</u> -1310-73-2 Sodium Hydroxide (1-2%):		
	TLV - CEV: 2 mg/m <sup>3</sup> PEL – TWA: 2 mg/m <sup>3</sup>		
Engineering Cor	All with	ventilation should be designed in accordance n OSHA standard (29 CFR 1910.94). Eyewash ion and safety shower should be available.	
<u>Personal Protec</u>	-Ge Kee Imn clot Was Avo and -Bre In c resp Iong	neral protective and hygienic measures: p away from foodstuffs, beverages and feed. nediately remove all soiled and contaminated hing. sh hands before breaks and at the end of work. id contact with the eyes and skin. Wear gloves safety glasses/goggles. rathing equipment: ase of brief exposure or low pollution use biratory filter device. In case of intensive or ger exposure use respiratory protective device t is independent of circulating air.	
9	PHYSICAL AND CHEMICAL PROPERT	TES	

#### Color: Amber **Physical State:** Liquid Odor: Mild Odor Threshold: Data not available 12.5-13.8 pH: Melting Point: Data not available **Boiling Point:** Data not available **Boiling Range:** Data not available Flash Point: Data not available **Evaporation Rate:** Data not available



Page **7** of **10** 

### **Diesel Force Diesel EGR & Induction System Cleaner**

SDS Number: DF620 DF630

Flammability: Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubilities: Partition Coefficient: Auto-Ignition Temperature: Decomposition Temperature: Viscosity:

Data not available Data not available Data not available Data not available 1.02 g/cm<sup>3</sup> (8.512 lbs/gal) Fully miscible with water Data not available Data not available Data not available Data not available

### 10 STABILITY AND REACTIVITY

<u>Stability:</u>	Stable under normal conditions.
<u>Reactivity:</u>	Not reactive under normal conditions.
Conditions to Avoid:	No further relevant information available.
Hazardous Reactions:	No known hazardous reactions.
Incompatible Materials:	Acids
Decomposition Products:	Hazardous decomposition products are not expected to form.

### TOXICOLOGICAL INFORMATION

#### Routes of Exposure:

11

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.



Page 8 of 10 -

# **Safety Data Sheet**

C	Dies	el Force Diesel EGR & Induction System Cleaner
SDS Number: DI DF630		-
Exposure Effect	<u>s:</u>	Corrosive to skin and mucous membranes. Corrosive to eyes.
Measures of To	<u>xicity:</u>	EGR and Induction System Cleaner:
		Oral LD50: 29851 mg/kg (ATE)
		1310-73-2 Sodium Hydroxide:
		Oral LD50: 2000 mg/kg (rat)
		18662-53-8 Nitrilotriacetic acid trisodium salt monohydrate:
		Oral LD50: 100 mg/kg (ATE)
<u>Carcinogenic/M</u>	lutagenic Precautions:	Nitrilotriacetic acid trisodium salt monohydrate: Carcinogenic category 2B (IARC).
12	ECOLOGICAL INFORMATION	

### LCOLOGICA

**Ecological Precautions:** 

Avoid exposing to the environment.

### Ecological Effects:

1310-73-2 Sodium Hydroxide:

LC50 (48 hours): 125 mg/L (fish)

### DISPOSAL CONSIDERATIONS

#### **Disposal Methods:**

13

Dispose of waste material in accordance with all local, state, and federal requirements.



Page **9** of **10** 

**Diesel Force Diesel EGR & Induction System Cleaner** 

SDS Number: DF620 DF630

**Disposal Containers:** 

Use properly approved container for disposal.

Special Precautions:

Do not dispose of with household garbage. Do not flush to surface waters or drains.

			Do not flush to surface waters or drains.
14	TRANSPORT INFORMATION		
<u>UN Number:</u> UN Shipping Name:		UN3266 Corrosive liquid, basic, inorganic, n.o.s. (Sodium hydroxide)	
Transport Hazard Class: Packing Group:		8 II	
Environmental H	<u>lazards:</u>		Not a marine pollutant
Bulk Transport Guidance:			Data not available
Special Precaution	<u>ons:</u>		Placard: CORROSIVE (non-limited quantities with gross weight over 1,001 pounds) DOT quantity limitations of 5L on passenger aircraft or rail, and 60L on cargo aircraft.
15	REGULATOR	Y INFORMATION	

This material and all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act.

California Proposition 65 WARNING: This product contains measurable amounts of a chemical known to the State of California to cause cancer. (Nitrilotriacetic acid trisodium salt monohydrate)



Page 10 of 10 -

### **Diesel Force Diesel EGR & Induction System Cleaner**

SDS Number: DF620 DF630

16 OTHER INFORMATION

Last Revision Date: 09/26/2016

The information contained in this Safety Data Sheet (SDS) relates only to the specific material designated. The supplier assumes no legal responsibility of the use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of the supplier.